BILL NO. 76-88 (as amended)

COUNTY COUNCIL

OF

HARFORD COUNTY, MARYLAND

BILL NO. 76-88 (as amended)

Introduced by Council President Freeman at the request of the County Executive

Legislative Day No. 76-33 Date: October 5, 1976

AN EMERGENCY ACT to provide for an increase in area connection charges for water and sewer customers of Harford County, Maryland; and to provide when said increases shall take effect.

By the Council, October 5, 1976

Introduced, read first time, ordered posted and public hearing scheduled

on: November 2, 1976

at: 7:00 P.M.

By Order: Angela Markowski, Secretary

PUBLIC HEARING

Having been posted and Notice of time and place of hearing and Title of Bill having been published according to the Charter, a public hearing was held on November 2, 1976 and concluded on December 7, 1976.

Angela Markowski, Secretary

BILL NO. 76-88
AS AMENDED

WHEREAS, the County Executive, upon recommendation of the Director of the Department of Public Works, has recommended that the rates for area connection charges for water and sewer customers be increased; and

WHEREAS, this Act conforms to the requirements of law for establishing such rates; and

WHEREAS, said rates are necessary to correct a serious deficit in the operation of the County water and sewer service.

NOW, THEREFORE,

Section 1. *Be It Enacted By The County Council Of Harford County, Maryland,* that the water and sewer area connection rates for water and sewer service supplied by Harford County be, and they are hereby repealed, and that the following new rates for water and sewer area connection rates in Harford County, be, and they are hereby enacted to stand in lieu of the rates repealed, all to read as follows:

Area Connection Rates for Water and Sewer.

Section 1-1.

The following schedule establishes area connection rates based upon peak demands of gallons per minute; number of fixture units served at peak demand; the ratio of peak demand to thirty (30) fixture units (as a base figure) and the size of the meter:

Each Meter Connection				Area Connection Rates	
Peak Demand G.P.M.*	Number of Fixture Units Served at Peak Demand	Ratio of Peak Demand to 30 Fixture Units	Minimum Meter Size	Water Ratio x $1,050	Sewer Ratio x $1,050

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
20	30	1	5/8"	1,050	1,050
20	30	1	5/8"	2,125	2,411
30	60	2	3/4"	2,100	2,100
30	60	2	3/4"	4,250	4,822
40	90	3	1"	3,150	3,150
40	90	3	1"	6,375	7,233
50	120	4	1"	4,200	4,200
50	120	4	1"	8,500	9,644
62	150	5	1 1/4"	5,250	5,250
62	150	5	1 1/4"	10,625	12,055
75	180	6	1 1/4"	6,300	6,300
75	180	6	1 1/4"	12,750	14,466
87	210	7	1 1/2"	7,350	7,350
87	210	7	1 1/2"	14,875	16,877
100	240	8	1 1/2"	8,400	8,400
100	240	8	1 1/2"	17,000	19,288
105	270	9	2"	9,450	9,450
105	270	9	2"	19,125	21,699
110	300	10	2"	10,500	10,500
110	300	10	2"	21,250	24,110
115	330	11	2"	11,550	11,550
115	330	11	2"	23,375	26,521
120	360	12	2"	12,600	12,600
120	360	12	2"	25,500	28,932
125	390	13	2"	13,650	13,650
125	390	13	2"	27,625	31,343
130	420	14	2"	14,700	14,700
130	420	14	2"	29,750	33,754
135	450	15	2"	15,750	15,750
135	450	15	2"	31,875	36,165
140	480	16	2"	16,800	16,800
140	480	16	2"	34,000	38,576

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~145~~	~~510~~	~~17~~	~~2"~~	~~17,850~~	~~17,850~~
145	510	17	2"	36,125	40,987
~~150~~	~~540~~	~~18~~	~~2"~~	~~18,900~~	~~18,900~~
150	540	18	2"	38,250	43,398
~~155~~	~~570~~	~~19~~	~~2"~~	~~19,950~~	~~19,950~~
155	570	19	2"	40,375	45,809
~~160~~	~~600~~	~~20~~	~~2"~~	~~21,000~~	~~21,000~~
160	600	20	2"	42,500	48,220
~~164~~	~~630~~	~~21~~	~~3"~~	~~22,050~~	~~22,050~~
164	630	21	3"	44,625	50,631
~~168~~	~~690~~	~~22~~	~~3"~~	~~23,100~~	~~23,100~~
168	660	22	3"	46,750	53,042
~~172~~	~~720~~	~~23~~	~~3"~~	~~24,150~~	~~24,150~~
172	690	23	3"	48,875	55,453
~~176~~	~~750~~	~~24~~	~~3"~~	~~25,200~~	~~25,200~~
176	720	24	3"	51,000	57,864
~~180~~	~~780~~	~~25~~	~~3"~~	~~26,250~~	~~26,250~~
180	750	25	3"	53,125	60,275
~~184~~	~~810~~	~~26~~	~~3"~~	~~27,300~~	~~27,300~~
184	780	26	3"	55,250	62,686
~~188~~	~~840~~	~~27~~	~~3"~~	~~28,350~~	~~28,350~~
188	810	27	3"	57,375	65,097
~~192~~	~~870~~	~~28~~	~~3"~~	~~29,400~~	~~29,400~~
192	840	28	3"	59,500	67,508
~~196~~	~~900~~	~~29~~	~~3"~~	~~30,450~~	~~30,450~~
196	870	29	3"	61,625	69,919
~~200~~	~~930~~	~~30~~	~~3"~~	~~31,500~~	~~31,500~~
200	900	30	3"	63,750	72,330
~~204~~	~~960~~	~~31~~	~~3"~~	~~32,550~~	~~32,550~~
204	930	31	3"	65,875	74,741
~~208~~	~~990~~	~~32~~	~~3"~~	~~33,600~~	~~33,600~~
208	960	32	3"	68,000	77,152
~~212~~	~~1,020~~	~~33~~	~~3"~~	~~34,650~~	~~34,650~~
212	990	33	3"	70,125	79,563
~~216~~	~~1,050~~	~~34~~	~~3"~~	~~35,700~~	~~35,700~~
216	1,020	34	3"	72,250	81,974
~~220~~	~~1,080~~	~~35~~	~~3"~~	~~36,750~~	~~36,750~~
220	1,050	35	3"	74,375	84,385

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
224	1,110	36	3"	37,800	37,800
224	1,080	36	3"	76,500	86,796
228	1,140	37	3"	38,850	38,850
228	1,110	37	3"	78,625	89,207
232	1,170	38	3"	39,900	39,900
232	1,140	38	3"	80,750	91,618
236	1,200	39	3"	40,950	40,950
236	1,170	39	3"	82,875	94,029
240	1,230	40	3"	42,000	42,000
240	1,200	40	3"	85,000	96,440
244	1,260	41	3"	43,050	43,050
244	1,230	41	3"	87,125	98,851
248	1,290	42	3"	44,100	44,100
248	1,260	42	3"	89,250	101,262
252	1,320	43	3"	45,150	45,150
252	1,290	43	3"	91,375	103,673
256	1,350	44	3"	46,200	46,200
256	1,320	44	3"	93,500	106,084
260	1,380	45	3"	47,250	47,250
260	1,350	45	3"	95,625	108,495
264	1,410	46	3"	48,300	48,300
264	1,380	46	3"	97,750	110,906
268	1,440	47	3"	49,350	49,350
268	1,410	47	3"	99,875	113,317
272	1,470	48	3"	50,400	50,400
272	1,440	48	3"	102,000	115,728
276	1,500	49	3"	51,450	51,450
276	1,470	49	3"	104,125	118,139
280	1,530	50	3"	52,500	52,500
280	1,500	50	3"	106,250	120,550
284	1,560	51	3"	53,550	53,550
284	1,530	51	3"	108,375	122,961
288	1,590	52	3"	54,600	54,600
288	1,560	52	3"	110,500	125,372
292	1,520	53	3"	55,650	55,650
292	1,590	53	3"	112,625	127,783

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
296	1,550	54	3"	56,700	56,700
296	1,620	54	3"	114,750	130,194
300	1,580	55	3"	57,750	57,750
300	1,650	55	3"	116,875	132,605
304	1,610	56	3"	58,800	58,800
304	1,680	56	3"	119,000	135,016
308	1,640	57	3"	59,850	59,850
308	1,710	57	3"	121,125	137,427
312	1,670	58	3"	60,900	60,900
312	1,740	58	3"	123,250	139,838
316	1,700	59	3"	61,950	61,950
316	1,770	59	3"	125,375	142,249
320	1,730	60	3"	63,000	63,000
320	1,800	60	3"	127,500	144,660
324	1,760	61	4"	64,050	64,050
324	1,830	61	4"	129,625	147,071
328	1,790	62	4"	65,100	65,100
328	1,860	62	4"	131,750	149,482
332	1,820	63	4"	66,150	66,150
332	1,890	63	4"	133,875	151,893
336	1,850	64	4"	67,200	67,200
336	1,920	64	4"	136,000	154,304
340	1,880	65	4"	68,250	68,250
340	1,950	65	4"	138,125	156,715
344	1,910	66	4"	69,300	69,300
344	1,980	66	4"	140,250	159,126
348	1,940	67	4"	70,350	70,350
348	2,010	67	4"	142,375	161,537
352	1,970	68	4"	71,400	71,400
352	2,040	68	4"	144,500	163,948
356	2,000	69	4"	72,450	72,450
356	2,070	69	4"	146,625	166,359
360	2,030	70	4"	73,500	73,500
360	2,100	70	4"	148,750	168,770
364	2,060	71	4"	74,550	74,550
364	2,130	71	4"	150,875	171,181
368	2,090	72	4"	75,600	75,600
368	2,160	72	4"	153,000	173,592

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
372	2,120	73	4"	76,650	76,650
372	2,190	73	4"	155,125	176,003
376	2,150	74	4"	77,700	77,700
376	2,220	74	4"	157,250	178,414
380	2,180	75	4"	78,750	78,750
380	2,250	75	4"	159,375	180,825
384	2,210	76	4"	79,800	79,800
384	2,280	76	4"	161,500	183,236
388	2,240	77	4"	80,850	80,850
388	2,310	77	4"	163,625	185,647
392	2,270	78	4"	81,900	81,900
392	2,340	78	4"	165,750	188,058
396	2,300	79	4"	82,950	82,950
396	2,370	79	4"	167,875	190,469
400	2,330	86	4"	84,000	84,000
400	2,400	80	4"	170,000	192,880
404	2,360	81	4"	85,050	85,050
404	2,430	81	4"	172,125	195,291
408	2,390	82	4"	86,100	86,100
408	2,460	82	4"	174,250	197,702
412	2,420	83	4"	87,150	87,150
412	2,490	83	4"	176,375	200,113
416	2,450	84	4"	88,200	88,200
416	2,520	84	4"	178,500	202,524
420	2,480	85	4"	89,250	89,250
420	2,550	85	4"	180,625	204,935
424	2,510	86	4"	90,300	90,300
424	2,580	86	4"	182,750	207,346
428	2,540	87	4"	91,350	91,350
428	2,610	87	4"	184,875	209,757
432	2,570	88	4"	92,400	92,400
432	2,640	88	4"	187,000	212,168
436	2,600	89	4"	93,450	93,450
436	2,670	89	4"	189,125	214,579
440	2,630	90	4"	94,500	94,500
440	2,700	90	4"	191,250	216,990

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
444	2,660	91	4"	95,550	95,550
444	2,730	91	4"	193,375	219,401
448	2,690	92	4"	96,600	96,600
448	2,760	92	4"	195,500	221,812
552	2,720	93	4"	97,650	97,650
452	2,790	93	4"	197,625	224,223
556	2,750	94	4"	98,700	98,700
456	2,820	94	4"	199,750	226,634
560	2,780	95	4"	99,750	99,750
460	2,850	95	4"	201,875	229,045
564	2,810	96	4"	100,800	100,800
464	2,880	96	4"	204,000	231,456
568	2,840	97	4"	101,850	101,850
468	2,910	97	4"	206,125	233,867
572	2,870	98	4"	102,900	102,900
472	2,940	98	4"	208,250	236,278
576	2,900	99	4"	103,950	103,950
476	2,970	99	4"	210,375	238,689
580	2,930	100	4"	105,000	105,000
480	3,000	100	4"	212,500	241,100
584	2,960	101	4"	106,050	106,050
484	3,030	101	4"	214,625	243,511
588	2,990	102	4"	107,100	107,100
488	3,060	102	4"	216,750	245,922
592	3,020	103	4"	108,150	108,150
492	3,090	103	4"	218,875	248,333
596	3,050	104	4"	109,200	109,200
496	3,120	104	4"	221,000	250,744
600	3,080	105	4"	110,250	110,250
500	3,150	105	4"	223,125	253,155
604	3,110	106	4"	111,300	111,300
504	3,180	106	4"	225,250	255,566
608	3,140	107	4"	112,350	112,350
508	3,210	107	4"	227,375	257,977
612	3,170	108	4"	113,400	113,400
512	3,240	108	4"	229,500	260,388

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~616~~	~~3,200~~	~~109~~	~~4"~~	~~114,450~~	~~114,450~~
516	3,270	109	4"	231,625	262,799
~~620~~	~~3,230~~	~~110~~	~~4"~~	~~115,500~~	~~115,500~~
520	3,300	110	4"	233,750	265,210
~~624~~	~~3,260~~	~~111~~	~~4"~~	~~116,550~~	~~116,550~~
524	3,330	111	4"	235,875	267,621
~~628~~	~~3,290~~	~~112~~	~~4"~~	~~117,600~~	~~117,600~~
528	3,360	112	4"	238,000	270,032
~~632~~	~~3,320~~	~~113~~	~~4"~~	~~118,650~~	~~118,650~~
532	3,390	113	4"	240,125	272,443
~~636~~	~~3,350~~	~~114~~	~~4"~~	~~119,700~~	~~119,700~~
536	3,420	114	4"	242,250	274,854
~~640~~	~~3,380~~	~~115~~	~~4"~~	~~120,750~~	~~120,750~~
540	3,450	115	4"	244,375	277,265
~~644~~	~~3,410~~	~~116~~	~~4"~~	~~121,800~~	~~121,800~~
544	3,480	116	4"	246,500	279,676
~~648~~	~~3,440~~	~~117~~	~~4"~~	~~122,850~~	~~122,850~~
548	3,510	117	4"	248,625	282,087
~~652~~	~~3,470~~	~~118~~	~~4"~~	~~123,900~~	~~123,900~~
552	3,540	118	4"	250,750	284,498
~~656~~	~~3,500~~	~~119~~	~~4"~~	~~124,950~~	~~124,950~~
556	3,570	119	4"	252,875	286,909
~~660~~	~~3,530~~	~~120~~	~~4"~~	~~126,000~~	~~126,000~~
560	3,600	120	4"	255,000	289,320
~~662.5~~	~~3,560~~	~~121~~	~~6"~~	~~127,050~~	~~127,050~~
562.5	3,630	121	6"	257,125	291,731
~~665.0~~	~~3,590~~	~~122~~	~~6"~~	~~128,100~~	~~128,100~~
565.0	3,660	122	6"	259,250	294,142
~~667.5~~	~~3,620~~	~~123~~	~~6"~~	~~129,150~~	~~129,150~~
567.5	3,690	123	6"	261,375	296,553
~~670.0~~	~~3,650~~	~~124~~	~~6"~~	~~130,200~~	~~130,200~~
570.0	3,720	124	6"	263,500	298,964

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~672.5~~	~~3,680~~	~~125~~	~~6"~~	~~131,250~~	~~131,250~~
572.5	3,750	125	6"	265,625	301,375
~~675.0~~	~~3,710~~	~~126~~	~~6"~~	~~132,300~~	~~132,300~~
575.0	3,780	126	6"	267,750	303,786
~~677.5~~	~~3,740~~	~~127~~	~~6"~~	~~133,350~~	~~133,350~~
577.5	3,810	127	6"	269,875	306,197
~~680.0~~	~~3,770~~	~~128~~	~~6"~~	~~134,400~~	~~134,400~~
580.0	3,840	128	6"	272,000	308,608
~~682.5~~	~~3,800~~	~~129~~	~~6"~~	~~135,450~~	~~135,450~~
582.5	3,870	129	6"	274,125	311,019
~~685.0~~	~~3,830~~	~~130~~	~~6"~~	~~136,500~~	~~136,500~~
585.0	3,900	130	6"	276,250	313,430
~~687.5~~	~~3,860~~	~~131~~	~~6"~~	~~137,550~~	~~137,550~~
587.5	3,930	131	6"	278,375	315,841
~~690.0~~	~~3,890~~	~~132~~	~~6"~~	~~138,600~~	~~138,600~~
590.0	3,960	132	6"	280,500	318,252
~~692.5~~	~~3,920~~	~~133~~	~~6"~~	~~139,650~~	~~139,650~~
592.5	3,990	133	6"	282,625	320,663
~~695.0~~	~~3,950~~	~~134~~	~~6"~~	~~140,700~~	~~140,700~~
595.0	4,020	134	6"	284,750	323,074
~~697.5~~	~~3,980~~	~~135~~	~~6"~~	~~141,750~~	~~141,750~~
597.5	4,050	135	6"	286,875	325,485
~~700.0~~	~~4,010~~	~~136~~	~~6"~~	~~142,800~~	~~142,800~~
600.0	4,080	136	6"	289,000	327,896
~~702.5~~	~~4,040~~	~~137~~	~~6"~~	~~143,850~~	~~143,850~~
602.5	4,110	137	6"	291,125	330,307
~~705.0~~	~~4,070~~	~~138~~	~~6"~~	~~144,900~~	~~144,900~~
605.0	4,140	138	6"	293,250	332,718
~~707.5~~	~~4,100~~	~~139~~	~~6"~~	~~145,950~~	~~145,950~~
607.5	4,170	139	6"	295,375	335,129
~~710.0~~	~~4,130~~	~~140~~	~~6"~~	~~147,000~~	~~147,000~~
610.0	4,200	140	6"	297,500	337,540
~~712.5~~	~~4,160~~	~~141~~	~~6"~~	~~148,050~~	~~148,050~~
612.5	4,230	141	6"	299,625	339,951
~~715.0~~	~~4,190~~	~~142~~	~~6"~~	~~149,100~~	~~149,100~~
615.0	4,260	142	6"	301,750	342,362

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~717.5~~	~~4,220~~	~~143~~	~~6"~~	~~150,150~~	~~150,150~~
617.5	4,290	143	6"	303,875	344,773
~~720.0~~	~~4,250~~	~~144~~	~~6"~~	~~151,200~~	~~151,200~~
620.0	4,320	144	6"	306,000	347,184
~~722.5~~	~~4,280~~	~~145~~	~~6"~~	~~152,250~~	~~152,250~~
622.5	4,350	145	6"	308,125	349,595
~~725.0~~	~~4,310~~	~~146~~	~~6"~~	~~153,300~~	~~153,300~~
625.0	4,380	146	6"	310,250	352,006
~~727.5~~	~~4,340~~	~~147~~	~~6"~~	~~154,350~~	~~154,350~~
627.5	4,410	147	6"	312,375	354,417
~~730.0~~	~~4,370~~	~~148~~	~~6"~~	~~155,400~~	~~155,400~~
630.0	4,440	148	6"	314,500	356,828
~~732.5~~	~~4,400~~	~~149~~	~~6"~~	~~156,450~~	~~156,450~~
632.5	4,470	149	6"	316,625	359,239
~~735.0~~	~~4,430~~	~~150~~	~~6"~~	~~157,500~~	~~157,500~~
635.0	4,500	150	6"	318,750	361,650
~~737.5~~	~~4,460~~	~~151~~	~~6"~~	~~158,550~~	~~158,550~~
637.5	4,530	151	6"	320,875	364,061
~~740.0~~	~~4,490~~	~~152~~	~~6"~~	~~159,600~~	~~159,600~~
640.0	4,560	152	6"	323,000	366,472
~~742.5~~	~~4,520~~	~~153~~	~~6"~~	~~160,650~~	~~160,650~~
642.5	4,590	153	6"	325,125	368,883
~~745.0~~	~~4,550~~	~~154~~	~~6"~~	~~161,700~~	~~161,700~~
645.0	4,620	154	6"	327,250	371,294
~~747.5~~	~~4,580~~	~~155~~	~~6"~~	~~162,750~~	~~162,750~~
647.5	4,650	155	6"	329,375	373,705
~~750.0~~	~~4,610~~	~~156~~	~~6"~~	~~163,800~~	~~163,800~~
650.0	4,680	156	6"	331,500	376,116
~~752.5~~	~~4,640~~	~~157~~	~~6"~~	~~164,850~~	~~164,850~~
652.5	4,710	157	6"	333,625	378,527
~~755.0~~	~~4,670~~	~~158~~	~~6"~~	~~165,900~~	~~165,900~~
655.0	4,740	158	6"	335,750	380,938
~~757.5~~	~~4,700~~	~~159~~	~~6"~~	~~166,950~~	~~166,950~~
657.5	4,770	159	6"	337,875	383,349
~~760.0~~	~~4,730~~	~~160~~	~~6"~~	~~168,000~~	~~168,000~~
660.0	4,800	160	6"	340,000	385,760

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~762.5~~	~~4,760~~	~~161~~	~~6"~~	~~169,050~~	~~169,050~~
662.5	4,830	161	6"	342,125	388,171
~~765.0~~	~~4,790~~	~~162~~	~~6"~~	~~170,100~~	~~170,100~~
665.0	4,860	162	6"	344,250	390,582
~~767.5~~	~~4,820~~	~~163~~	~~6"~~	~~171,150~~	~~171,150~~
667.5	4,890	163	6"	346,375	392,993
~~770.0~~	~~4,850~~	~~164~~	~~6"~~	~~172,200~~	~~172,200~~
670.0	4,920	164	6"	348,500	395,404
~~772.5~~	~~4,880~~	~~165~~	~~6"~~	~~173,250~~	~~173,250~~
672.5	4,950	165	6"	350,625	397,815
~~775.0~~	~~4,910~~	~~166~~	~~6"~~	~~174,300~~	~~174,300~~
675.0	4,980	166	6"	352,750	400,226
~~777.5~~	~~4,940~~	~~167~~	~~6"~~	~~175,350~~	~~175,350~~
677.5	5,010	167	6"	354,875	402,637
~~780.0~~	~~4,970~~	~~168~~	~~6"~~	~~176,400~~	~~176,400~~
680.0	5,040	168	6"	357,000	405,048
~~782.5~~	~~5,000~~	~~169~~	~~6"~~	~~177,450~~	~~177,450~~
682.5	5,070	169	6"	359,125	407,459
~~785.0~~	~~5,030~~	~~170~~	~~6"~~	~~178,500~~	~~178,500~~
685.0	5,100	170	6"	361,250	409,870
~~787.5~~	~~5,060~~	~~171~~	~~6"~~	~~179,550~~	~~179,550~~
687.5	5,130	171	6"	363,375	412,281
~~790.0~~	~~5,090~~	~~172~~	~~6"~~	~~180,600~~	~~180,600~~
690.0	5,160	172	6"	365,500	414,692
~~792.5~~	~~5,120~~	~~173~~	~~6"~~	~~181,650~~	~~181,650~~
692.5	5,190	173	6"	367,625	417,103
~~795.0~~	~~5,150~~	~~174~~	~~6"~~	~~182,700~~	~~182,700~~
695.0	5,220	174	6"	369,750	419,514
~~797.5~~	~~5,180~~	~~175~~	~~6"~~	~~183,750~~	~~183,750~~
697.5	5,250	175	6"	371,875	421,925
~~800.0~~	~~5,210~~	~~176~~	~~6"~~	~~184,800~~	~~184,800~~
700.0	5,280	176	6"	374,000	424,336
~~802.5~~	~~5,240~~	~~177~~	~~6"~~	~~185,850~~	~~185,850~~
702.5	5,310	177	6"	376,125	426,747
~~805.0~~	~~5,270~~	~~178~~	~~6"~~	~~186,900~~	~~186,900~~
705.0	5,340	178	6"	378,250	429,158

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~807.5~~	~~5,300~~	~~179~~	~~6"~~	~~187,950~~	~~187,950~~
707.5	5,370	179	6"	380,375	431,569
~~810.0~~	~~5,330~~	~~180~~	~~6"~~	~~189,000~~	~~189,000~~
710.0	5,400	180	6"	382,500	433,980
712.5	5,430				
~~812.5~~	~~5,360~~	~~181~~	~~6"~~	~~190,050~~	~~190,050~~
712.5	5,430	181	6"	384,625	436,391
~~815.0~~	~~5,390~~	~~182~~	~~6"~~	~~191,100~~	~~191,100~~
715.0	5,460	182	6"	386,750	438,802
~~817.5~~	~~5,420~~	~~183~~	~~6"~~	~~192,150~~	~~192,150~~
717.5	5,490	183	6"	388,875	441,213
~~820.0~~	~~5,450~~	~~184~~	~~6"~~	~~193,200~~	~~193,200~~
720.0	5,520	184	6"	391,000	443,624
~~822.5~~	~~5,480~~	~~185~~	~~6"~~	~~194,250~~	~~194,250~~
722.5	5,550	185	6"	393,125	446,035
~~825.0~~	~~5,510~~	~~186~~	~~6"~~	~~195,300~~	~~195,300~~
725.0	5,580	186	6"	395,250	448,446
~~827.5~~	~~5,540~~	~~187~~	~~6"~~	~~196,350~~	~~196,350~~
727.5	5,610	187	6"	397,375	450,857
~~830.0~~	~~5,570~~	~~188~~	~~6"~~	~~197,400~~	~~197,400~~
730.0	5,640	188	6"	399,500	453,268
~~832.5~~	~~5,600~~	~~189~~	~~6"~~	~~198,450~~	~~198,450~~
732.5	5,670	189	6"	401,625	455,679
~~835.0~~	~~5,630~~	~~190~~	~~6"~~	~~199,500~~	~~199,500~~
735.0	5,700	190	6"	403,750	458,090
~~837.5~~	~~5,660~~	~~191~~	~~6"~~	~~200,550~~	~~200,550~~
737.5	5,730	191	6"	405,875	460,501
~~840.0~~	~~5,690~~	~~192~~	~~6"~~	~~201,600~~	~~201,600~~
740.0	5,760	192	6"	408,000	462,912
~~842.5~~	~~5,720~~	~~193~~	~~6"~~	~~202,650~~	~~202,650~~
742.5	5,790	193	6"	410,125	465,323
~~845.0~~	~~5,750~~	~~194~~	~~6"~~	~~203,700~~	~~203,700~~
745.0	5,820	194	6"	412,250	467,734
~~847.5~~	~~5,780~~	~~195~~	~~6"~~	~~204,750~~	~~204,750~~
747.5	5,850	195	6"	414,375	470,145
~~850.0~~	~~5,810~~	~~196~~	~~6"~~	~~205,800~~	~~205,800~~
750.0	5,880	196	6"	416,500	472,556

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
852.5	5,840	197	6"	206,850	206,850
752.5	5,910	197	6"	418,625	474,967
855.0	5,870	198	6"	207,900	207,900
755.0	5,940	198	6"	420,750	477,378
857.5	5,900	199	6"	208,950	208,950
757.5	5,970	199	6"	422,875	479,789
860.0	5,930	200	6"	210,000	210,000
760.0	6,000	200	6"	425,000	482,200
862.5	5,960	201	6"	211,050	211,050
762.5	6,030	201	6"	427,125	484,611
865.0	5,990	202	6"	212,100	212,100
765.0	6,060	202	6"	429,250	487,022
867.5	6,020	203	6"	213,150	213,150
767.5	6,090	203	6"	431,375	489,433
870.0	6,050	204	6"	214,200	214,200
770.0	6,120	204	6"	433,500	491,844
872.5	6,080	205	6"	215,250	215,250
772.5	6,150	205	6"	435,625	494,255
875.0	6,110	206	6"	216,300	216,300
775.0	6,180	206	6"	437,750	496,666
877.5	6,140	207	6"	217,350	217,350
777.5	6,210	207	6"	439,875	499,077
880.0	6,170	208	6"	218,400	218,400
780.0	6,240	208	6"	442,000	501,488
882.5	6,200	209	6"	219,450	219,450
782.5	6,270	209	6"	444,125	503,899
885.0	6,230	210	6"	220,500	220,500
785.0	6,300	210	6"	446,250	506,310
887.5	6,260	211	6"	221,550	221,550
787.5	6,330	211	6"	448,375	508,721
890.0	6,290	212	6"	222,600	222,600
790.0	6,360	212	6"	450,500	511,132
892.5	6,320	213	6"	223,650	223,650
792.5	6,390	213	6"	452,625	513,543
895.0	6,350	214	6"	224,700	224,700
795.0	6,420	214	6"	454,750	515,954

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
897.5	6,380	215	6"	225,750	225,750
797.5	6,450	215	6"	456,875	518,365
900.0	6,410	216	6"	226,800	226,800
800.0	6,480	216	6"	459,000	520,776
902.5	6,440	217	6"	227,850	227,850
802.5	6,510	217	6"	461,125	523,187
905.0	6,470	218	6"	228,900	228,900
805.0	6,540	218	6"	463,250	525,598
907.5	6,500	219	6"	229,950	229,950
807.5	6,570	219	6"	465,375	528,009
910.0	6,530	220	6"	231,000	231,000
810.0	6,600	220	6"	467,500	530,420
912.5	6,560	221	6"	232,050	232,050
812.5	6,630	221	6"	469,625	532,831
915.0	6,590	222	6"	233,100	233,100
815.0	6,660	222	6"	471,750	535,242
917.5	6,620	223	6"	234,150	234,150
817.5	6,690	223	6"	473,875	537,653
920.0	6,650	224	6"	235,200	235,200
820.0	6,720	224	6"	476,000	540,064
922.5	6,680	225	6"	236,250	236,250
822.5	6,750	225	6"	478,125	542,475
925.0	6,710	226	6"	237,300	237,300
825.0	6,780	226	6"	480,250	544,886
927.5	6,740	227	6"	238,350	238,350
827.5	6,810	227	6"	482,375	547,297
930.0	6,770	228	6"	239,400	239,400
830.0	6,840	228	6"	484,500	549,708
932.5	6,800	229	6"	240,450	240,450
832.5	6,870	229	6"	486,625	552,119
935.0	6,830	230	6"	241,500	241,500
835.0	6,900	230	6"	488,750	554,530
937.5	6,860	231	6"	242,550	242,550
837.5	6,930	231	6"	490,875	556,941
940.0	6,890	232	6"	243,600	243,600
840.0	6,960	232	6"	493,000	559,352

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
942.5	6,920	233	6"	244,650	244,650
842.5	6,990	233	6"	495,125	561,763
945.0	6,950	234	6"	245,700	245,700
845.0	7,020	234	6"	497,250	564,174
947.5	6,980	235	6"	246,750	246,750
847.5	7,050	235	6"	499,375	566,585
950.0	7,010	236	6"	247,800	247,800
850.0	7,080	236	6"	501,500	568,996
952.5	7,040	237	6"	248,850	248,850
852.5	7,110	237	6"	503,625	571,407
955.0	7,070	238	6"	249,900	249,900
855.0	7,140	238	6"	505,750	573,818
957.5	7,100	239	6"	250,950	250,950
857.5	7,170	239	6"	507,875	576,229
960.0	7,130	240	6"	252,000	252,000
860.0	7,200	240	6"	510,000	578,640
962.5	7,160	241	6"	253,050	253,050
862.5	7,230	241	6"	512,125	581,051
965.0	7,190	242	6"	254,100	254,100
865.0	7,260	242	6"	514,250	583,462
967.5	7,220	243	6"	255,150	255,150
867.5	7,290	243	6"	516,375	585,873
970.0	7,250	244	6"	256,200	256,200
870.0	7,320	244	6"	518,500	588,284
972.5	7,280	245	6"	257,250	257,250
872.5	7,350	245	6"	520,625	590,695
975.0	7,310	246	6"	258,300	258,300
875.0	7,380	246	6"	522,750	593,106
977.5	7,340	247	6"	259,350	259,350
877.5	7,410	247	6"	524,875	595,517
980.0	7,370	248	6"	260,400	260,400
880.0	7,440	248	6"	527,000	597,928
982.5	7,400	249	6"	261,450	261,450
882.5	7,470	249	6"	529,125	600,339

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~985.0~~	~~7,430~~	~~250~~	~~6"~~	~~262,500~~	~~262,500~~
885.0	7,500	250	6"	531,250	602,750
~~987.5~~	~~7,460~~	~~251~~	~~6"~~	~~263,550~~	~~263,550~~
887.5	7,530	251	6"	533,375	605,161
~~990.0~~	~~7,490~~	~~252~~	~~6"~~	~~264,600~~	~~264,600~~
890.0	7,560	252	6"	535,500	607,572
~~992.5~~	~~7,520~~	~~253~~	~~6"~~	~~265,650~~	~~265,650~~
892.5	7,590	253	6"	537,625	609,983
~~995.0~~	~~7,550~~	~~254~~	~~6"~~	~~266,700~~	~~266,700~~
895.0	7,620	254	6"	539,750	612,394
~~997.5~~	~~7,580~~	~~255~~	~~6"~~	~~267,750~~	~~267,750~~
897.5	7,650	255	6"	541,875	614,805
~~1000.0~~	~~7,610~~	~~256~~	~~6"~~	~~268,800~~	~~268,800~~
900.0	7,680	256	6"	544,000	617,216
~~1002.5~~	~~7,640~~	~~257~~	~~6"~~	~~269,850~~	~~269,850~~
902.5	7,710	257	6"	546,125	619,627
~~1005.0~~	~~7,670~~	~~258~~	~~6"~~	~~270,900~~	~~270,900~~
905.0	7,740	258	6"	548,250	622,038
~~1007.5~~	~~7,700~~	~~259~~	~~6"~~	~~271,950~~	~~271,950~~
907.5	7,770	259	6"	550,375	624,449
~~1010.0~~	~~7,730~~	~~260~~	~~6"~~	~~273,000~~	~~273,000~~
910.0	7,800	260	6"	552,500	626,860
~~1012.5~~	~~7,760~~	~~261~~	~~6"~~	~~274,050~~	~~274,050~~
912.5	7,830	261	6"	554,625	629,271
~~1015.0~~	~~7,790~~	~~262~~	~~6"~~	~~275,100~~	~~275,100~~
915.0	7,860	262	6"	556,750	631,682
~~1017.5~~	~~7,820~~	~~263~~	~~6"~~	~~276,150~~	~~276,150~~
917.5	7,890	263	6"	558,875	634,093
~~1020.0~~	~~7,850~~	~~264~~	~~6"~~	~~277,200~~	~~277,200~~
920.0	7,920	264	6"	561,000	636,504
~~1022.5~~	~~7,880~~	~~265~~	~~6"~~	~~278,250~~	~~278,250~~
922.5	7,950	265	6"	563,125	638,915
~~1025.0~~	~~7,910~~	~~266~~	~~6"~~	~~279,300~~	~~279,300~~
925.0	7,980	266	6"	565,250	641,326
~~1027.5~~	~~7,940~~	~~267~~	~~6"~~	~~280,350~~	~~280,350~~
927.5	8,010	267	6"	567,375	643,737

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~1030.0~~	~~7,970~~	~~268~~	~~6"~~	~~281,400~~	~~281,400~~
930.0	8,040	268	6"	569,500	646,148
~~1032.5~~	~~8,000~~	~~269~~	~~6"~~	~~282,450~~	~~282,450~~
932.5	8,070	269	6"	571,625	648,559
~~1035.0~~	~~8,030~~	~~270~~	~~6"~~	~~283,500~~	~~283,500~~
935.0	8,100	270	6"	573,750	650,970
~~1037.5~~	~~8,060~~	~~271~~	~~6"~~	~~284,550~~	~~284,550~~
937.5	8,130	271	6"	575,875	653,381
~~1040.0~~	~~8,090~~	~~272~~	~~6"~~	~~285,600~~	~~285,600~~
940.0	8,160	272	6"	578,000	655,792
~~1042.5~~	~~8,120~~	~~273~~	~~6"~~	~~286,650~~	~~286,650~~
942.5	8,190	273	6"	580,125	658,203
~~1045.0~~	~~8,150~~	~~274~~	~~6"~~	~~287,700~~	~~287,700~~
945.0	8,220	274	6"	582,250	660,614
~~1047.5~~	~~8,180~~	~~275~~	~~6"~~	~~288,750~~	~~288,750~~
947.5	8,250	275	6"	584,375	663,025
~~1050.0~~	~~8,210~~	~~276~~	~~6"~~	~~289,800~~	~~289,800~~
950.0	8,280	276	6"	586,500	665,436
~~1052.5~~	~~8,240~~	~~277~~	~~6"~~	~~290,850~~	~~290,850~~
952.5	8,310	277	6"	588,625	667,847
~~1055.0~~	~~8,270~~	~~278~~	~~6"~~	~~291,900~~	~~291,900~~
955.0	8,340	278	6"	590,750	670,258
~~1057.5~~	~~8,300~~	~~279~~	~~6"~~	~~292,950~~	~~292,950~~
957.5	8,370	279	6"	592,875	672,669
~~1060.0~~	~~8,330~~	~~280~~	~~6"~~	~~294,000~~	~~294,000~~
960.0	8,400	280	6"	595,000	675,080
~~1062.5~~	~~8,360~~	~~281~~	~~6"~~	~~295,050~~	~~295,050~~
962.5	8,430	281	6"	597,125	677,491
~~1065.0~~	~~8,390~~	~~282~~	~~6"~~	~~296,100~~	~~296,100~~
965.0	8,460	282	6"	599,250	679,902
~~1067.5~~	~~8,420~~	~~283~~	~~6"~~	~~297,150~~	~~297,150~~
967.5	8,490	283	6"	601,375	682,313
~~1070.0~~	~~8,450~~	~~284~~	~~6"~~	~~298,200~~	~~298,200~~
970.0	8,520	284	6"	603,500	684,724

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~1072.5~~	~~8,480~~	~~285~~	~~6"~~	~~299,250~~	~~299,250~~
972.5	8,550	285	6"	605,625	687,135
~~1075.0~~	~~8,510~~	~~286~~	~~6"~~	~~300,300~~	~~300,300~~
975.0	8,580	286	6"	607,750	689,546
~~1077.5~~	~~8,540~~	~~287~~	~~6"~~	~~301,350~~	~~301,350~~
977.5	8,610	287	6"	609,875	691,957
~~1080.0~~	~~8,570~~	~~288~~	~~6"~~	~~302,400~~	~~302,400~~
980.0	8,640	288	6"	612,000	694,368
~~1082.5~~	~~8,600~~	~~289~~	~~6"~~	~~303,450~~	~~303,450~~
982.5	8,670	289	6"	614,125	696,779
~~1085.0~~	~~8,630~~	~~290~~	~~6"~~	~~304,500~~	~~304,500~~
985.0	8,700	290	6"	616,250	699,190
~~1087.5~~	~~8,660~~	~~291~~	~~6"~~	~~305,550~~	~~305,550~~
987.5	8,730	291	6"	618,375	701,601
~~1090.0~~	~~8,690~~	~~292~~	~~6"~~	~~306,600~~	~~306,600~~
990.0	8,760	292	6"	620,500	704,012
~~1092.5~~	~~8,720~~	~~293~~	~~6"~~	~~307,650~~	~~307,650~~
992.5	8,790	293	6"	622,625	706,423
~~1095.0~~	~~8,750~~	~~294~~	~~6"~~	~~308,700~~	~~308,700~~
995.0	8,820	294	6"	624,750	708,834
~~1097.5~~	~~8,780~~	~~295~~	~~6"~~	~~309,750~~	~~309,750~~
997.5	8,850	295	6"	626,875	711,245
~~1100.0~~	~~8,810~~	~~296~~	~~6"~~	~~310,800~~	~~310,800~~
1000.0	8,880	296	6"	629,000	713,656
~~1102.5~~	~~8,840~~	~~297~~	~~6"~~	~~311,850~~	~~311,850~~
1002.5	8,910	297	6"	631,125	716,067
~~1105.0~~	~~8,870~~	~~298~~	~~6"~~	~~312,900~~	~~312,900~~
1005.0	8,940	298	6"	633,250	718,478
~~1107.5~~	~~8,900~~	~~299~~	~~6"~~	~~313,950~~	~~313,950~~
1007.5	8,970	299	6"	635,375	720,889
~~1110.0~~	~~8,930~~	~~300~~	~~6"~~	~~315,000~~	~~315,000~~
1010.0	9,000	300	6"	637,500	723,300
~~1112.5~~	~~8,960~~	~~301~~	~~6"~~	~~316,050~~	~~316,050~~
1012.5	9,030	301	6"	639,625	725,711
~~1115.0~~	~~8,990~~	~~302~~	~~6"~~	~~317,100~~	~~317,100~~
1015.0	9,060	302	6"	641,750	728,122

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

EACH METER CONNECTION				AREA CONNECTION RATES	
PEAK DEMAND G.P.M.*	NUMBER OF FIXTURE UNITS SERVED AT PEAK DEMAND	RATIO OF PEAK DEMAND TO 30 FIXTURE UNITS	MINIMUM METER SIZE	WATER RATIO X $2,125	SEWER RATIO X $2,411
~~1117.5~~	~~9,020~~	~~303~~	~~6"~~	~~318,150~~	~~318,150~~
1017.5	9,090	303	6"	643,875	730,533
~~1120.0~~	~~9,050~~	~~304~~	~~6"~~	~~319,200~~	~~319,200~~
1020.0	9,120	304	6"	646,000	732,944
~~1122.5~~	~~9,080~~	~~305~~	~~6"~~	~~320,250~~	~~320,250~~
1022.5	9,150	305	6"	648,125	735,355
~~1125.0~~	~~9,110~~	~~306~~	~~6"~~	~~321,300~~	~~321,300~~
1025.0	9,180	306	6"	650,250	737,766
~~1127.5~~	~~9,140~~	~~307~~	~~6"~~	~~322,350~~	~~322,350~~
1027.5	9,210	307	6"	652,375	740,177
~~1130.0~~	~~9,170~~	~~308~~	~~6"~~	~~323,400~~	~~323,400~~
1030.0	9,240	308	6"	654,500	742,588
~~1132.5~~	~~9,200~~	~~309~~	~~6"~~	~~324,450~~	~~324,450~~
1032.5	9,270	309	6"	656,625	744,999
~~1135.0~~	~~9,230~~	~~310~~	~~6"~~	~~325,500~~	~~325,500~~
1035.0	9,300	310	6"	658,750	747,410
~~1137.5~~	~~9,260~~	~~311~~	~~6"~~	~~326,550~~	~~326,550~~
1037.5	9,330	311	6"	660,875	749,821
~~1140.0~~	~~9,290~~	~~312~~	~~6"~~	~~327,600~~	~~327,600~~
1040.0	9,360	312	6"	663,000	752,232
~~1142.5~~	~~9,320~~	~~313~~	~~6"~~	~~328,650~~	~~328,650~~
1042.5	9,390	313	6"	665,125	754,643
~~1145.0~~	~~9,350~~	~~314~~	~~6"~~	~~329,700~~	~~329,700~~
1045.0	9,420	314	6"	667,250	757,054
~~1147.5~~	~~9,380~~	~~315~~	~~6"~~	~~330,750~~	~~330,750~~
1047.5	9,450	315	6"	669,375	759,465
~~1150.0~~	~~9,410~~	~~316~~	~~6"~~	~~331,800~~	~~331,800~~
1050.0	9,480	316	6"	671,500	761,876
~~1152.5~~	~~9,440~~	~~317~~	~~6"~~	~~332,850~~	~~332,850~~
1052.5	9,510	317	6"	673,625	764,287
~~1155.0~~	~~9,470~~	~~318~~	~~6"~~	~~333,900~~	~~333,900~~
1055.0	9,540	318	6"	675,750	766,698
~~1157.5~~	~~9,500~~	~~319~~	~~6"~~	~~334,950~~	~~334,950~~
1057.5	9,570	319	6"	677,875	769,109
~~1160.0~~	~~9,530~~	~~320~~	~~6"~~	~~336,000~~	~~336,000~~
1060.0	9,600	320	6"	680,000	771,520

*G.P.M. = GALLONS PER MINUTE

76-88
AS AMENDED

Section 1-2.

(a) Meter sizes are based upon the American Water Works Association maximum safe operating capacities with a normal pressure entering the meter.

(b) Peak instantaneous demand is based upon diversity curves for gallons per minute versus fixture units established by American Standard, National Plumbing Code, American Society of Mechanical Engineers (1955 Edition).

(1) Values beyond five hundred (500) gallons per minute are obtained by geometric extension.

(c) Utilization of Schedule. A specific area connection rate can be determined for a customer by establishing the customer's peak demand in terms of gallons per minute or the fixture unit count served at peak demand. By taking that information and locating the appropriate corresponding numbers on the schedule (next higher number used if customer's not listed), follow the schedule line for the listed area connection rate.

(d) Fixtures. Fixtures are outlets for water in the customer's structure.

(e) (1) The rates established by this Act do not apply to those persons who already have a rate previously established by Harford County for their water or sewer connection. This Act shall also not apply where specific rates are set in a valid contract executed prior to the effective date of this Act. THE RATES ESTABLISHED BY THIS ACT SHALL ALSO NOT APPLY TO THE FOLLOWING PETITIONED PROJECTS: DEMBYTOWN WATER PROJECT #6328, VAN BIBBER WEST SEWER PROJECT #6121, LEESWOOD SEWER PROJECT #6293 AND BAUERS DRIVE SEWER PROJECT #6306.

(2) In all other instances, not so excluded in Subsection (1), the rates established by this Act shall apply from and after the effective date of this Act.

Section 2. *And Be It Further Enacted,* that this Act is hereby

76-88
AS AMENDED

declared to be an Emergency Act, necessary for the correction of a fiscal deficit in the County water and sewer service and shall take effect on the date it becomes law.

EFFECTIVE:

76-88
AS AMENDED

76-88

AS AMENDED

BY THE COUNCIL

Read the third time.

~~Passed~~ _____ ~~(with amendments)~~

Failed of Passage LSD 76-40 December 14, 1976

By order

Angela Markowski dp, Secretary

Sealed with the County Seal and presented to the County Executive for his approval this _____ day of _____, 19___ at _____ o'clock ___.M.

_____, Secretary

BY THE EXECUTIVE

APPROVED:

_____

County Executive

Date _____

76-88

AS AMENDED