
BARRY GLASSMAN
HARFORD COUNTY EXECUTIVE

BILLY BONIFACE
DIRECTOR OF ADMINISTRATION



PAUL E. LAWDER
DIRECTOR OF INSPECTIONS,
LICENSES AND PERMITS

**Harford County Plumbing Board
Open Session
April 2, 2019**

The Harford County Plumbing Board met in the 1st floor conference room, Department of Inspections, Licenses, and Permits, at 220 South Main Street on Tuesday, April 2, 2019. The following people were present:

Attendees:

Steve Bogan, Chairperson Plumbing Board and Master Plumber
Scott Schott, Member Plumbing Board and Chief, Plumbing Services, Harford County
Chris Kirchner, Member Plumbing Board and Master Plumber
Mike Reeder, Member Plumbing Board and Master Plumber
Justin Waszkiewicz, Member Plumbing Board and State of Maryland Environmental Health
Heather McHugh, Secretary Plumbing Board

The Plumbing Board minutes on March 5, 2019 were reviewed and approved.

Old Business

The Harford County Board (known as the Board) continued discussing amendments for the next code change.

New Business

The Board agreed on amending the following areas of the code during the next code change:

- allow the T & P relief valve to blow off into the water heater pan
- require the gas pipe pressure test be 20 psi on a 30 psi gauge

The Board discussed requirements for a 1,000 gallon grease trap with comparison to new manufactured polyethylene traps. Mr. Schott discussed allowing discharge from a commercial dishwasher into a grease trap more than 20ft away.

An email will be sent to the Harford County Plumbing contractors reminding them of the code items below which will be strictly enforced by the Harford County inspectors.

- Anyone performing or providing plumbing services in Harford County need to be registered in Harford County per code 202-4 Certificate of registration.
- Tracer wire code per COMAR 09.20.01 the Maryland State Plumbing Code section 10.6.6 Water Service Tracer Wiring, 11.2.4 Building Sewer Tracer Wire, and 13.1.4 Building Storm Sewer Tracer Wire.

MARYLAND'S NEW CENTER OF OPPORTUNITY

410.638.3344 | 410.879.2000 | TTY Maryland Relay 711 | www.harfordcountymd.gov

220 South Main Street, Bel Air, Maryland 21014

THIS DOCUMENT IS AVAILABLE IN ALTERNATIVE FORMAT UPON REQUEST

There being no further business, the meeting was adjourned at 10:50 am.

Transcribed by and date:

H. McHugh 4/3/19

Heather McHugh
Secretary to the Board

Reviewed by and date:

G. Scott Schott

G Scott Schott
Chief, Plumbing Services