

## STI Review Activity

Use the questions below to create a review activity to complete with students. You may choose to create a Quiz or use another [HCPS approved webtool](#), or you may choose to complete a low-tech review activity.

- 1. Unprotected penis-vaginal sex has health risks for teens.**
  
- 2. Tongue kissing a partner who has a STI cannot spread the STI.**
  
- 3. If a partner has an STI, which scenario is more likely to spread the STI?**
  - a. Using only barrier methods of contraceptives
  - b. Using only hormonal methods of contraceptives
  
- 4. There is a single test that can screen for the most common STIs.**
  
- 5. A person under the age of 18 must have parent or guardian consent to be tested for STIs.**
  
- 6. What are two different types of places a person can go to get tested for STIs?**
  
- 7. A person only needs to get an STI test after having sex with a person who has an STI.**
  
- 8. There is not testing available for HPV for males.**
  
- 9. Name three common symptoms of most STIs.**

10. A person can get re-infected with herpes.
11. What is the most common symptom of an STI?
12. If a person gets chlamydia, takes the entire course of antibiotics and is cured, they cannot get chlamydia again.
13. There is currently a vaccine available for two STIs

**Category: Are they the Same or Different?**

14. In what ways are chlamydia and gonorrhea the same and in what ways are they different?
15. In what ways are syphilis and herpes similar and different?
16. Name at least two differences between internal and external condoms:
17. What are 2 STIs that are caused by viruses and don't have cures?
18. Are pubic lice the same as crabs?
19. Is HIV and AIDS the same thing?

**Category: HIV**

20. If a person with HIV has an undetectable viral load, can they transmit HIV to a

partner?

21. True or False: A baby born to an HIV+ person will always be HIV+

22. If left untreated, what disease can HIV lead to?

23. Do effective methods exist in preventing getting HIV through sex or drug use?

24. Can two HIV-positive parents have an HIV-negative child?